



Beltronics Radar Detector Comparison 2011-2012										
Beltronics Radar Detector Features	A	B	C	D	E	F	G	H	I	J
X Band Detection	•	•	•	•	•	•	•	•	•	•
K Band Detection	•	•	•	•	•	•	•	•	•	•
Ka Band Detection	•	•	•	•	•	•	•	•	•	•
Super Wideband Ka	•	•	•	•	•	•	•	•	•	•
Laser	•	•	•	•	•	•	•	•	•	•
Instant-On (Pulse) Detection	•	•	•	•	•	•	•	•	•	•
POP Mode	•	•	•	•	•	•	•	•		•
Ka MAX Mode										
Directional Indicator										
Safety Warning System™ (SWS™)	•	•	•	•	•	•	•	•	•	•
Safety Alert®										
Strobe Alert™										
Complete Undetectability				•	•					
VG-2 Stealth (Undetectable)	•		•	•	•	•	•	•	•	•
VG-2 Alert									•	
Spectre Stealth		•		•	•					
Spectre Alert										
Laser Blocking (B Optional)		•								
Remote Mute/Laser Blocking Off										
GPS	•				•					
Speed/Red Light Camera Database	•				•					
AutoLearn										
Anti-Falsing Database	•				•					
Mark Location Alert Database	•				•					
Current Speed Display					•					
Solar Panel										
Cordless										
Battery Charger										
Out of Sight Installation		•			•				•	
Voice Alerts	•	•	•	•	•	•	•	•		•
Programmable Audio Messages										
Detailed SWS™ Alerts	•		•	•	•	•	•	•		•
LED Display		•							•	
Detailed Safety Alerts										
Graphic Display		•								
Alpha-Numeric Display	•	•	•	•	•	•	•	•		•
Color Coded Alerts										
Programmable Display Messages										
Remote Display										
LED Alert Periscope										
Radar/Laser Signature ID		•								
Signal Strength Indicator	•	•	•	•	•	•	•	•	•	•



Features	A	B	C	D	E	F	G	H	I	J
Pivoting Display										
Multiple Threat Display	•		•	•	•					
Dual Alert Display		•								
Bogey Counter										
Rear Radar Antenna										
Compass										
Memo Recorder										
Ku Band Detection	•	•	•							•
Interchangeable Faceplate										
AutoScan™	•		•	•	•		•	•		•
TSR Filter					•					
AccuSweep™										
Selectable Bands	•	•	•	•	•				•	•
City and Highway Modes	•	•	•	•	•	•	•	•	•	•
Filter Modes										
Audio Jack	•		•	•	•	•	•	•		•
Audio Alert Only Mode				•	•					
Visual Alert Only Mode		•		•	•					
Auto and Manual Muting	•	•	•	•	•	•	•	•	•	•
SmartMute™/IntelliMute™										
Display Dimming	•		•	•	•	•	•	•	•	•
Auto Dim	•			•	•					
Language Selection										
Loss of Connection Alert									•	
Low Battery Warning										
Low Voltage Warning		•		•	•				•	
Auto Shut-Off										
Battery Monitor				•	•					
Smart Power™										
Memory Retention	•		•	•	•	•	•	•	•	•
EasySet™/ Programming Menu										
Outside Temperature										
Stay Alert										
Software Upgradeable	•	•	•	•	•				•	•
Tech Display	•		•	•	•					•
Volume Control	•	•	•	•	•	•	•	•	•	•
Self Test				•						
Tutorial Mode									•	
Enhanced Power Cord Capable	•		•	•		•	•	•		•
IntelliMute Pro®										
Smartphone Connection										
SD Card Slot										
USB Port	•									
Reset Button										
Manufacturer Warranty (Years)	1	1	1	1	1	1	1	1	1	1



Index of Beltronics Models

A -	GX65	D -	STi Driver	G -	Vector 955	J -	Vector 995
B -	RX45	E -	STiR Plus	H -	Vector 955c		
C -	RX65	F -	Vector 940	I -	Vector 975E		

Note: Laser Blocking feature on RX45 requires optional laser jamming kit (sold separately).